

The background of the entire page is a vibrant green landscape. In the foreground, there is a lush green field. In the middle ground, a large, full-canopied green tree stands prominently. Behind the tree, a city skyline with various skyscrapers and industrial structures is visible under a bright blue sky with scattered white clouds.

لیست محصولات سرمایشی و تهویه مطبوع مرکزی
— CAC Products Lineup —

« انواع یونیت های داخلی VRF

Unit Type	1.5	1.8	2.2	2.8	3.5	4.5	5.6	7.1	8.8	11.0	13.2	16.5	19.8	25.0	31.5	39.6	49.5	61.5	
One-way cassette																			
Two-way cassette																			
Compact four-way cassette																			
Four-way cassette																			
Low static pressure duct																			
Medium static pressure duct																			
High static pressure duct																			
Wall mounted																			
Ceiling & floor																			
Floor standing																			
Console																			
Fresh air processing unit																			

Notes
 AC VRF Indoor Units
 DC VRF Indoor Units
 Sub-cooling VRF Indoor Units

VRF

« انواع یونیت های خارجی اینورتر VRF

V5X Series (All DC Inverter)



8/10/12HP 14/16/18/20/22HP

V4 Plus S Series (All DC Inverter)



8/10HP 12/14/16HP 18HP

V4 Plus I Series (DC Inverter)



7/8/9HP 14/16HP 20HP 22/24HP 26/28/30/32HP

V4 Plus Mini Series (All DC Inverter)



8/10.5kW 12/14/16/18kW

Tropical V4 Plus Mini Series (DC Inverter)



10.5/14kW

« انواع یونیت های خارجی دیجیتال اسکال VRF

D4 Plus Series



8/10/12HP 14/16HP

Tropical D4 Plus Series



8/10/12HP 14/16HP

« انواع یونیت های خارجی از نوع Sub-cooling VRF

V5 Series (All DC Inverter)



8/10/12HP 14/16/18/20/22HP

D4 Plus S Series



8/10/12HP 14/16HP

فن کویل

انواع فن کویل دو لوله «

Capacity CFM	134	200	250	310	400	450	500	600	710	800	850	950	1000	1050	1400	1500	1600	2000	2300	
One-way cassette																				
Compact four-way cassette																				
Four-way cassette																				
Duct																				
High static pressure duct																				
Wall mounted																				
Ceiling & floor																				
Floor standing																				

انواع فن کویل چهار لوله «

Capacity CFM	200	300	400	500	600	750	800	850	950	1000	1200	1400	1500	
Compact four-way cassette														
Four-way cassette														
Duct														

Notes:
 AC Fan Coil Units
 DC Fan Coil Units

چیلر های هوا خنک اسکرال

انواع مینی چیلر های اینورتر «

Capacity	30kW	36kW	45kW	52kW	63kW	75kW	90kW
Appearance							
Power supply							
220-240V-1Ph-50Hz	•	•	•	•			
380-415V-3Ph-50Hz					•	•	•

انواع مینی چیلر های با سرعت ثابت «

Capacity	30kW	36kW	45kW	52kW	63kW	75kW	90kW
Appearance							
Power supply							
220-240V-1Ph-50Hz	•	•	•	•			
380-415V-3Ph-50Hz					•	•	•

انواع چیلر های هوا خنک مادولار اسکرال - سری Power «

Capacity	80kW	100kW	120kW	150kW	180kW	200kW	250kW
Appearance							
Type							
PS-LA	F&D		F&D		F		F
PS-HMLA	F&D						
PS (Tropical type)	F&D	F&D		F		F	F

Notes:
 PS: Standard Power Series;
 PS-LA: Power Series with low ambient temperature cooling function;
 PS-HMLA: Power Series with low ambient temperature cooling function and built-in hydraulic module;
 F: Product adopts fixed speed scroll compressor;
 D: Product adopts digital scroll compressor;

انواع چیلر های هوا خنک مادولار اسکرال - سری Super «

Capacity	200kW	250kW	300kW	350kW	400kW
Appearance					
Type					
SS-LA			F	F	F
SP-LA	F	F	F		
SP-HMLA	F	F			

Notes:
 SS-LA: Super Series adopts tube-in-tube or shell-tube heat exchanger;
 SP-LA: Super Series adopts plate type heat exchanger;
 SP-HMLA: Super Series adopts plate type heat exchanger and built-in hydraulic module;
 F: Product adopts fixed speed scroll compressor;

اسپلیت های اندازه تجاری

انواع اسپلیت های متداول اندازه تجاری A/C «

Application	Power supply	Indoor unit	Outdoor unit	Nominal cooling capacity			
				7.5 kW	10.5 kW	14.0 kW	17.5 kW
R410A-T1	220-240V, 1Ph ~ 50Hz	Indoor units (Floor-standing)		○	○		
	180-415V, 3Ph ~ 50Hz	Outdoor units		○	○		
R410A-Tropical (T3)	220-240V, 1Ph ~ 50Hz	Indoor units (Floor-standing)		○	○	○	
	180-415V, 3Ph ~ 50Hz	Outdoor units		○	○	○	
R410A-T1 (Full DC Inverter)	220-240V, 1Ph ~ 50Hz	Indoor unit		○			
	180-415V, 3Ph ~ 50Hz	Outdoor unit		○			

انواع هواساز با کویل DX «

Application	Power supply	Indoor unit	Outdoor unit	Nominal cooling capacity			
				7.5 kW	10.5 kW	14.0 kW	17.5 kW
R410A-T1	220-240V, 1Ph ~ 50Hz	Indoor units (AS AHU)		○	○	○	○
		Indoor units (DX AHU)		○	○		
		Outdoor units		○	○		
		Indoor units (DX AHU)			○	○	○
R410A-T1	180-415V, 3Ph ~ 50Hz	Indoor units (DX AHU)			○	○	○
		Outdoor units			○	○	○

Application	Power supply	Indoor unit	Outdoor unit	Nominal cooling capacity		
				11.0 kW	14.0 kW	17.5 kW
R410A	180-415V, 3Ph ~ 50Hz	Indoor units (100% Fresh air, DX AHU)		○	○	○
		Outdoor units		○	○	○

پکیج سرمایشی پشت بامی

انواع پکیج سرمایشی پشت بامی سری ClimaCreator «

Application	Nominal ton	Nominal ton													
		4	5	6.2	7.5	8.5	10	12.5	15	17.5	20	25	30		
T1 Applications				●	●										
						●	●								
								●	●						
										●	●				
Tropical (T3) Applications		●	●	●	●										
						●	●								
								●	●						
										●	●				

Notes:
 1. * Nominal ton only for reference.
 2. ● means cooling type product; ● means heat pump type product.

انواع پکیج سرمایشی پشت بامی سری ClimaMaster «

Application	Nominal ton	Nominal ton													
		4	5	6.2	7.5	8.5	10	12.5	15	17.5	20	25	30		
T1 Applications				●	●	●									
					●										
T3 Applications					●●●	●●●									
							●●●	●●●							
									●●●	●●●					
											●●●	●●●			
													●●●	●●●	
															●●●

Notes:
 1. * Nominal ton only for reference.
 2. ● means cooling type product; ● means cooling type product with EHR; ● means heat pump type product.



DD Midea Heating & Ventilating Equipment Co., Ltd.
 is certified under the ISO 9001 International standard
 for quality management
 NO. 01 500 010009



DD Midea Heating & Ventilating Equipment Co., Ltd.
 is certified under the ISO 14001 International standard
 for environmental management
 Certificate No. 19912E53200822



DD Midea Heating & Ventilating Equipment Co., Ltd.
 Certificate of Occupational Health and Safety Management System
 Certificate no. 19912E53200802L-1



www.badrtech.com



Technology Inspires Possibilities

شرکت بدر تک الکترونیک (سهامی خاص)



شرکت بدر تک الکترونیک نماینده انحصاری خدمات مشتریان تهویه مطبوع مرکزی
هایدیا و کولرهای گازی **تک‌تریپ**، **توشیبا**، **کریر در ایران**
 تهران | خیابان شهید مطهری | خیابان ترکمنستان | شماره ۱۸
 تلفن: ۶ - ۸۸۴۵۵۰۶۱ | نمابر: ۸۸۴۳۶۰۴۰
www.badrtech.com | info@badrtech.com